

## Quiz 8

MATH 1B, SPRING 2012

April 6, 2012

GSI: Zvi Rosen

---

SECTION:

NAME:

---

**Solve the differential equation:**

$$\frac{dy}{dx} = y^2 \sin x.$$

**For what values of the arbitrary constant will  $y$  be well-defined and continuous for all  $x$ ?**

We divide both sides by  $y^2$ , assuming  $y \neq 0$ . If  $y = 0$ , then  $dy/dx = y^2 \sin x = 0$ , so we include this as a possible solution. We integrate both sides with respect to  $dx$ , obtaining:

$$\int \frac{1}{y^2} \frac{dy}{dx} dx = \int \sin x dx.$$

$$\Rightarrow \int \frac{dy}{y^2} = -\cos x + C.$$

$$\Rightarrow -\frac{1}{y} = -\cos x + C.$$

$$\Rightarrow y = \frac{1}{\cos x + C}.$$

So the family of solutions for our differential equation is  $y = 0$ , and  $y = \frac{1}{\cos x + C}$  for some constant  $C$ .

If we want the function to be well-defined everywhere, we need to make sure we never divide by zero. Since  $\cos x$  takes all values between  $-1$  and  $1$ , we need  $C < -1$  or  $C > 1$ .